

INVITATION FOR SUBMISSION OF BIDS FOR

SUPPLY, INSTALLATION & COMMISIONING OF STATIC GARBAGE COMPACTOR FOR

WET GARBAGE

REFERENCE: SLC/PRO/CAP/2024/004

SRILANKAN CATERING LTD
PROCUREMENT AND SHIPPING DEPARTMENT
AIRLINE CENTRE
BANDARANAYAKE INTERNATIONAL AIRPORT
KATUNAYAKE
SRI LANKA

Section I. Instructions to Bidder (ITB)

A: General							
1. Scope of Bid	1.1 SriLankan Catering Ltd invites authorized dealers of reputed companies to submit a bid for The Supply, Installation & Commissioning of Static Garbage Compactor for Wet Garbage as specified in Section iii - Schedule o Requirements.						
	You are requested to confirm your intention to submit a bid by forwarding the duly filled Bid Acknowledgement Form attached, 01 week prior to bid closing date.						
	B: Contents of Documents						
2. Contents of Documents	2.1 The documents consist of the Sections indicated below.						
Documents	Section I. Instructions to Bidders						
	Section II. Data Sheet						
	Section III. Schedule of Requirements						
	Sections IV. Bid Submission Form						
	Annexure A : Bid Acknowledgement Form						
	Annexure B : Bid Securing Declaration Form						
	Annexure C : Price Schedule Form & Compliance Sheet						
	Annexure D : Clientele Information Form						
	Annexure E : Sample Contract						
	Annexure F : Vendor Information Form						

	C: Preparation of Bid
3. Documents Comprising your	3.1 The document shall comprise the following:
Bid	Sections IV: Bid Submission Form
	Annexure B : Bid Securing Declaration Form
	Annexure C : Price Schedule Form & Compliance Sheet
	Annexure D : Clientele Information Form
	Annexure F: Vendor Information Form
4. Bid Submission	4.1 The Bidder shall submit the Bid Submission Form using the form furnished in Section IV. This form must be completed without any alterations to its
Form and	format, and no substitutes shall be accepted.
Technical/	All blank and an aball be filled in with the information we wanted
General Specifications &	All blank spaces shall be filled in with the information requested.
Compliance	
form	
5. Prices	5.1 Unless stated in Data Sheet, all items must be priced separately in the Price Schedule Form.
	The saliesale Formi
	5.2 The price to be quoted in the Bid Submission Form shall be the unit price of
	the Bid.
	5.3 Prices quoted by the Bidder shall be fixed during the period specified in ITB clause 8.1 and not subject to variation on any account. A Bid submitted with an adjustable price shall be treated as non-responsive and may be rejected.
6. Currency	6.1 The Bidders shall quote in USD, EURO, SGD, GBP, or LKR
7. Documents to	7.1 The Bidder shall submit following documents along with the bid for
Establish	evaluation:
Conformity of the service	Form 20 (Company Director details)
	Business registration form
	Financial statements of last 03 years/ Bank Statement
	Client/sales details for last 01-year period (Registration or Sales)
	Annexure G: Format for Bid Security Guarantee
	Annexure H: Format for Performance Guarantee
8. Period of	8.1 Bids shall remain valid for a period of 06 months after the bid submission
Validity of bid	deadline date.
9. Bid Securing	9.1 The Bidder shall furnish as part of its bid, a Bid Securing Declaration, using
Declaration	Form included in Annexure B.
10. Payment Terms	10.1 Advanced payment of 30% on behalf of an unconditional bank guarantee submitted from a registered reputed Commercial Bank in Sri Lanka, balance 60% on delivery. 10% will be made after Commissioning/ training and handover.

Signing of Bid	11.1 The bid shall be typed or written in ink and shall be signed by a person duly authorized to sign on behalf of the Bidder. Please ensure all documents are duly signed and stamped in the given area when forwarding.
	D: Submission and Opening of Bid
12. Submission of Bid	12.1 Bidders shall submit their bids by registered post, courier or by hand in a sealed envelope
	12.2 The sealed envelope shall bear the specific identification of this bid exercise as indicated follows:
	"SUPPLY, INSTALLATION & COMMISIONING OF STATIC GARBAGE
	COMPACTOR FOR WET GARBAGE"
	SLC/PRO/CAP/2024/004
	11.3 If any bidder wishes to hand deliver the bids, please contact SriLankan Catering Ltd staff well in advance, for the arrangement of security clearance. Refer Section II- Data sheet, clause 25.1 for contact details.
13. Deadline for Submission of Bid	12.1 Bid must be received by the SriLankan Catering Ltd to the address set out in Section II, "Data Sheet", and no later than the date and time as specified in the Data Sheet. Clause 23.1
	To avoid any delay in submitting of bids due to security clearance of the Sri Lankan Catering Ltd, please forward the bids to be reached at least 01 day prior to the bid closing date.
14. Late Bid	13.1 SriLankan Catering Ltd shall reject any bid that arrives after the deadline for submission of bids in accordance with ITB Clause 12.1 above.
15. Opening of Bids	15.1 SriLankan Caterig Ltd shall conduct a close bid opening in front of the tender opening committee of SriLankan Catering Ltd on 14 th August 2024 immediately after 10.00 a.m. SriLankan Time (GMT +5:30)

16.Clarifications	E: Evaluation and Comparison of Bid 16.1 To assist in the examination, evaluation and comparison of the bids, SriLankan Catering Ltd may, at its discretion, ask any Bidder for a clarification of its bid. Any clarification submitted by a Bidder in respect to its bid which is not in response to a request by the SriLankan Catering Ltd shall not be considered. 16.2 SriLankan Catering Ltd request for clarification and the response shall be in writing at SriLankan Catering Ltd email address specified in the Data Sheet.
17.Responsiveness of Bids	 17.1 SriLankan Catering Ltd will determine the responsiveness of the bid to the documents based on the contents of the bid received. 17.2 If a bid is evaluated as not substantially responsive to the documents issued, it may be rejected by the SriLankan Catering Ltd.
18. Evaluation of bid	18. Sample will be subjected to an evolution based on the following criteria: Mandatory Evaluation Criteria Bidder should be a registered/ appointed agent of the relevant brand. Relevant agency certificate should be attached along with the bid. Technical Evaluation Criteria I. Compliance for the technical specification as per in Annexure C of the Bidding Document (70% Maximum) II. Warranty - (10%) III. Past Experience of the bidders/ Product/ Brand/ Customer Reference. (15% Maximum) IV. Lead Time - (5%) Total Maximum Points available: 100% Bidders to be selected for Financial Evaluation should receive 70% or higher marks from Technical Evaluation. Financial Evaluation Criteria The Shortlisted bids from the Technical Evaluation will be financially evaluated based on the following criteria. I. 100% for the Lowest Price (Will be allocated proportionately) Total Maximum Point Available: 100%
19. SriLankan Catering Ltd' Right to Accept any Bid, and to Reject any or all Bid.	19.1 SriLankan Catering Ltd reserves the right to accept or reject any bid, and to annul the process and reject all bids at any time prior to acceptance, without thereby incurring any liability to bidders.

	F: Award of Contract
20. Acceptance of the Bid	20.1 SriLankan Catering Ltd will accept the bid of the Bidder whose offer is not necessarily the lowest evaluated bid and is substantially responsive to the documents issued.
21. Notification of acceptance	21.1 SriLankan Catering Ltd will notify the successful Bidder, in writing, that their bid has been accepted.
	21.2 After notification, SriLankan Catering Ltd shall complete the contract, and inform the successful Bidder to sign it.
	21.3 Within Forty-two (42) days of receipt of such information, the successful Bidder shall sign the contract.
	21.4 Advance Payment 30% from the Equipment Original Manufactures and Distributors should be forwarded to SLC based on the discretion of the SriLankan Catering Ltd management.

Section II: Data Sheet

ITB Clause Reference	
22.1	The address for submission of Bids is: Attention: Chief Executive Officer Address: SriLankan Catering Ltd, Airline Center Bandaranaike international Airport, Katunayake, Sri Lanka.
	Details should be provided one day in advance to arrange security clearance if the bidder wishes to hand deliver bids.
23.1	Deadline for submission of bids is on or before 14 th August, 10.00 a.m. SriLankan Time (GMT +5:30) Details should be provided one day in advance to arrange security clearance if the bidder wishes to hand deliver bids.
24.1	Opening of bids will be done public by SriLankan Catering Ltd bid opening committee in front of the Bidders. (Public opening as per clause 14.0)
25.1	For Clarification/ handing over bids/ samples: Contact Person: Himali Samarasinghe - Ass. Manager - Procurement and shipping Telephone: +94 (0) 19733 4241 E mail address: himali.samarasinghe@srilankancatering.com Contact Person: Lahiru Praveen - Trainee - Procurement and Shipping Telephone: +94 (0) 19733 4147 E mail address: lahiru.praveen@srilankancatering.com • Details should be provided one day in advance to arrange security clearance if the bidder wishes to hand deliver bids.
General Items	 i. If the bid is accepted, it is mandatory that the Bidder signs the Contract with SriLankan Catering Ltd. ii. If there is any special condition of supplier (such as payment terms) it has to be mention separately in the bidding document.

Section III - Schedule of Requirements

Project	Supply , Installation & Commissioning of Static Garbage Compactor for wet garbage
Name	
Introduction	Maximum Utilization of Space at Wet Garbage and Handle Garbage in proper standard level

Description	Requirement						
A. Garbage Compactor							
Brand	Reputed						
Compactor Type	Static						
Operation	Garbage/Indoor use/ Electric						
Control	Key operated controls						
Loading Type	Self - Loading						
Use Materials	General Wet Waste, Dry Mixed Recycling, Polythene						
	Option 1: 10 -15 m ³						
Required Capacity	Option 2: 15 - 20 m ³						
Maximum length	7000 mm						
Maximum Width	As per required capacity						
Loading Platform Height	Floor Level Option 01: Should be able to Self-Loading from the floor level (as per drawing Annexure A) Option 02: If Garbage Compactor unable to perform with Option 01 should be supply Scissor Lift (As per specification & drawing Annexure B)						
Un Loading Height	1500 mm (Maximum)						
Power Source	Electricity (230 V or 400 V - 3 ph) Hydraulic						
Compaction Ratio	5:1 (Approximately)						
Safety	User Friendly Strong Structure - High tensile material Pressure Gauge Bin operation alarm On off light indicator Water proof control panel						
Feature Required	Minimum loading compaction time Anticorrosive, Chemical resistance internal & external surface Minimum un loading time Wide range for loading Quiet Operating Fast Cycle						
Warranty	2 Years 5 Years for structure						
B. Scissor Lif	ft						
Brand	Reputed						
Operation	Hydraulic						
Loading Capacity	1000 - 1500 Ltr						


Width - According to Garbage Compactor Width Length - 1300 mm (Maximum)					
Safety Valve					
Switch Operated					
Water proof control panel					
Anticorrosive, Chemical Resistance Surface					
Quiet Operating					
2 Year					
Bin					
Reputed					
Dip galvanized					
1000 - 1500 Ltr					
Width & Height: Stranded					
Length: 1300 mm maximum					
Heavy duty swivel wheels 04 nos. (2 nos with brake)					
Non - marking caster					
Use as lifting device for above compacter					
Without Lid					
Lightweight					
Heavy Duty					
Easy Cleaning					
Drainage Hole					


Other Requirements


Lifting Height

- Photos with specification sheet for clarification.
- After sale technical support & Spare parts availability.

600 - 1500 mm







Section IV - Bid Submission Form

Date

-	dder shall fill in this Form in accordance with the instructions indicated no alterations to its format permitted and no substitutions will be accepted.]
Date:	
To: SriLa	ankan Catering Ltd
We, the	undersigned, declare that:
(a) We	e have read and have no reservations to the document issued;
Requirem	We agree to supply conforming to the documents issued and in accordance with the Schedule of nents Supply, Installation, Commissioning & Training of outdoor Electric Mobile Pallet Stacker - Store nt for Production Department: (Asper Section III)
••••	ne price of our bid is in the bidders shall quote in USD, EURO, GBP, SGD or in LKR (per unit in words)er unit in number).
(d) Ou	ur bid shall be valid for the time specified in ITB Clause 8.1
	e understand that our bid, together with your written acceptance thereof included in your notification award, shall constitute a binding contract between us.
	e understand that you are not bound to accept the lowest evaluated bid or any other bid that you ay receive.
	d Securing Declaration is attached and same is valid for a period of 120 days after the bid submission eadline date.
Signed:	
Name:	

ANNEXURE B: Bid Securing Declaration

[The **Bidder** shall fill in this form in accordance with the instructions indicated in brackets]

Date:[insert date by bidder]

*Name of contract - "SUPPLY, INSTALLATION & COMMISIONING OF STATIC GARBAGE COMPACTOR FOR WET GARBAGE"

*Invitation for Bid No: SLC/PRO/CAP/2024/004

*To: SriLankan Catering Ltd

We, the undersigned, declare that;

- 1. We understand that, according to instructions to bidders (hereinafter "the ITB"), bids must be supported by a bid-securing declaration;
- 2. We accept that we shall be suspended from being eligible for contract award in any contract where bids have being invited by SriLankan Catering, for the period of time of 120 days starting on the latest date set for closing of bids of this bid, if we;
 - (a) withdraw our Bid during the period of bid validity period specified; or
 - (b) do not accept the correction of errors in accordance with the Instructions to Bidders of the Bidding Document; or
 - (c) having been notified of the acceptance of our Bid by you, during the period of bid validity, (i) fail or refuse to execute the Contract Form, if required, or (ii) fail or refuse to furnish the performance security, in accordance with the ITB.
- 3. We understand this bid securing declaration shall expire if we are not the successful bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder that the bidder was unsuccessful; or (ii) twenty-eight days after the expiration of our bid.
- 4. We understand that if we are a JV, the Bid Securing Declaration must be in the name of JV that submits the bid. If the JV has not been legally constituted at the time of bidding, the Bid Securing Declaration shall be in the names of all future patterns as named in the letter of intent.

Signed [insert signature(s) of authorized representative] In the Capacity of [insert title] Name [insert printed or typed name]
Duly authorized to sign the bid for and on behalf of [insert authorizing entity]

Dated on [insert day] day of [insert month], [insert year

ANNEXURE C: Price Schedule Form

			Required	Price (Deliver		Duty Free Price		Lead		
Item Description	UOM	Brand	Quantity	to SLC)	Currency	FOB Price	Freight	Insurance	Other Cost	Time
"SUPPLY, INSTALLATION & COMMISIONING	Each for Option 01		01							
OF STATIC GARBAGE COMPACTOR FOR WET GARBAGE"	Each for Option 02		01							

Compliance sheet

Description	Requirement	Comply (Yes/ No)	Remarks
Garbage Com	pactor		
Brand	Reputed		
Compactor Type	Static		
Operation	Garbage / Indoor use / Electric		
Control	Key operated controls		
Loading type	Self-loading Self-loading		
Use Materials	General wet Waste, Dry Mixed Recycling, polythene		
Required Capacity	Option 1 : 10 — 15 rn ³		
Required Capacity	Option 2: 15-20 m ³		
Maximum length	7000 mm		
Maximum width	As per required capacity		
	Floor level Option 01: should be able to Self-loading from the floor leva (as per drawing Annexure A)		
Loading platform height	Option 02: If Garbage Compactor unable to perform with		
	Option 01 should be supply Scissor lift (as per specification & drawing Annexure B)		
Un loading height	1500 mm (Maximum)		
	Electricity (230V or 400 v -3ph)		
Power Source	Hydraulic		
Compaction ratio	5:1 (approximately)		
	User friendly		
	Strong Structure - High tensile material		
Safety	Pressure Gauge		
Juicty	Bin operation alarm		
	On off light indicator		
	Water proof control panel		

Anticorrosive, chemical resistance internal & external surface Minimum un loading time Wide range for loading Quiet Operating Fast cycle 2 year 5 year for structure B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width - According to Garbage Compactor Width Length - 1300 mm (maximum) Safety valve Feature Required Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Varranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Length : 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter		Minimum loading compaction time		
Feature Required Minimum un loading time Wide range for loading Quiet Operating Fast cycle 2 year 5 year for structure B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Feature Required Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height : stranded Length : 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non-marking casters Usage Use as lifting device for above compacter				
Wide range for loading Quiet Operating Fast cycle 2 year 5 year for structure B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width - According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height : stranded Length : 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter				
Fast cycle 2 year 5 year for structure B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Feature Required Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Feature Required	Wide range for loading		
Warranty 2 year 5 year for structure B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 · 1500 ltr Lifting height 600 · 1500 mm Size Width · According to Garbage Compactor Width Length		Quiet Operating		
B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter		Fast cycle		
B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter		2 year		
B. Scissor lift Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height : stranded Length : 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Warranty	5 year for structure		
Brand Reputed Operation Hydraulic Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	B. Scissor lift			
Loading Capacity 1000 -1500 ltr Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter		Reputed		
Lifting height 600 - 1500 mm Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height : stranded Length : 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Operation	Hydraulic		
Size Width- According to Garbage Compactor Width Length - 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Loading Capacity	1000 -1500 ltr		
- 1300 mm (maximum) Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Lifting height	600 - 1500 mm		
Safety Safety valve Switch operated Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Size			
Feature Required Water proof control panel Anticorrosive, chemical resistance surface Quiet Operating Varranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Safety			
Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter		Switch operated		
Anticorrosive, chemical resistance surface Quiet Operating Warranty 2 year C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Feature Required	Water proof control panel		
C. Garbage Bin Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	·			
Brand Reputed Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Warranty	2 year		
Construction Dip galvanized Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	C. Garbage Bi	n		
Capacity 1000 - 1500 ltr Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Brand	Reputed		
Size Width & Height: stranded Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Construction	Dip galvanized		
Length: 1300 mm maximum Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Capacity	1000 - 1500 ltr		
Caster Heavy duty swivel wheels 04 nos (2nos- with brake) non- marking casters Usage Use as lifting device for above compacter	Size	Width & Height : stranded		
non- marking casters Usage Use as lifting device for above compacter	Length: 1300 mm maximum			
Usage Use as lifting device for above compacter	Caster			
Medica (12)	Usage			
Without Lid		Without Lid		
Heavy duty	Feature required	Heavy duty		
Feature required Easy cleaning		Easy cleaning		
Drainage hole		Drainage hole		

- Payment term Advance Payment of 30% on behalf of an unconditional bank guarantee submitted from a registered reputed Commercial Bank in Sri Lanka, Balance 60% on delivery. 10% will be made after installation and Commissioning.
- Goods will be imported to Sri Lanka under duty free basis.
- Financial evaluation will be carried based on the internal exchanged rate.

Payment terms	;
Name of the bidd	er:
Contact details	!-
Address	:-
Addiess	•
6	
Signature and cor	mpany stamp:

ANNEXURE D: Clientele Information Form

	Name of the Customer	Company Representative's Contact Details (Please state name, official email address and telephone number)	Client since	Machinery/ Equipment provided
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

ANNEXURE E: - Sample Contract

INVITATION FOR SUBMISSION OF BIDS FOR SUPPLY, INSTALLATION & COMMISSIONING OF STATIC GARBAGE COMPACTOR FOR WET GARBAGE

THIS AGREEMENT made and entered in to in Colombo on this ... day of, Two Thousand and Twenty-Four (00/00/2024) by and between

1.	SRILANKAN CATERING LIMITED a Company incorporated in Sri Lanka bearing company registration No. PV1418PB and having its registered office at No.07, Bandaranaike International Airport, Katunayake, Sri Lanka (hereinafter referred to as "SLC"), and
	M/s bearing company registration no and having its registered office at
	(hereinafter referred to as the "Supplier").

WHEREAS

- A. SLC is desirous of Supply, Installation and Commissioning and Training outdoor fuel operated Mobile Pallet Stackers to SriLankan Catering Ltd (hereinafter referred to as (Goods) as per Annexure A and whereas the Supplier is desirous of supplying same.
- B. The Supplier has agreed to supply to SLC quantities of the Goods on terms and conditions set out below.

NOW THEREFORE THE PARTIES AGREE AS FOLLOWS

1.0 OBLIGATIONS OF SUPPLIER

- 1.1 Supplier shall supply the said Goods as per specifications in respect of quality, size, quantity, brand, volume and prices as per Annexure and time of delivery as shall be from time to time indicated by SLC and also be subject to such health certificates/country of origin/certificate for genetically modification free and halal certificate as may be required.
 - Provided that nothing herein shall prejudice the right of or prevent SLC from checking prices from other sources at any time.
- 1.2 The Purchase Order shall be placed either by telephone, e-mail or facsimile message, which message shall be confirmed by an official Purchase Order along with the relevant reference number.
- 1.3 The Supplier shall confirm receipt of the Purchase Order and its ability to supply same. The Supplier shall supply the Goods in accordance with the instructions of SLC. Any change in the specification/brand/quality/packing/texture/colour shall be subject to prior approval by SLC.

- 1.4 SLC shall be at liberty to cancel/decrease/increase any order prior to delivery, provided however that Goods obtained or manufactured specifically for the purpose of SLC shall not be cancelled after purchase, manufacture or shipment.
- 1.5 All packing shall confirm to accepted standards and be designed to prevent and/or minimize damages while in transit/transport or delivery.
- 1.6 If or any reason whatsoever the Supplier is unable to supply the Goods ordered or any part thereof, referred to herein as per purchase orders places by SLC, or SLC rejects same as not being in conformity with the specifications and conditions of supplies, SLC shall be entitled to obtain same from any other source.
- 1.7 SLC shall have complete authority to reject any item as not being in conformity with the specifications and/or conditions of supply/purchase order and the decision of the SLC in that regard shall be final and the supplier shall not have any right of appeal therefrom.
- 1.8 Shall the market price fall below the agreed price during the Contract Period SLC reserves the right to lower the agreed price for such periods.
 - SLC shall be at liberty to purchase the products from an alternate cheaper source provided the contractor does not agree to lower the price in par with the prevailing lower prices.
- 1.9 All maintenance activities should be accompanied by the comprehensive warranty

2.0 DELIVERY

The prices in Annexure A is based on delivered to the Flight Kitchen located at Katunayake, Sri Lanka.

3.0 GOODS IN TRANSIT

The Supplier shall at all-time be held responsible for the goods in transit. All orders undertaken shall be supplied in good order as per the quantities, qualities and the specifications mentioned in the relevant Purchase Order.

Any damages, shortages, quality deviations to the goods while in transit shall be made correct immediately and all arrangements shall be made to comply with the original order.

All other procedures such as insurance queries or investigations etc., shall be processed subsequent to the above process.

4.0 PRICE

The Supplier shall sell and SLC shall purchase the goods referred to in Annexure at prices listed therein from 2024 to the conclusion of the contract.

SLC shall reserves the right to decide the period of implementation within the period stated in the quotation application form.

5.0 LEAD-TIME

SLC shall give the supplier a notice ofto get goods ready.

6.0 INSURANCE

All deliveries shall be subjected to a comprehensive insurance coverage as per follows, as agreed by the both parties.

Full insurance coverage to be procured by supplier for local deliveries to the point of delivery.

7.0 TERM and TERMINATION OF CONTRACT

- 7.1 This Agreement shall come in to force on the Execution Date and shall remain in force for a period of 01 year (the "Contract Period") and the parties may renew this Agreement for a further term(s) on mutually agreed terms and conditions.
- 7.2 Notwithstanding Clause 7.1 SLC may terminate this Agreement by giving to the Supplier 30 days written notice without cause (such termination to take effect on the expiry of the notice period).
- 7.3 SLC may terminate this Agreement forthwith in writing in the event the Supplier does not:
 - 7.3.1 Provide the Goods at the time, manner and/or to the specifications/ quality required by SLC as per purchase orders pursuant to this Agreement;
 - 7.3.2 Comply with the requirements and/or notices of SLC; and/or
 - 7.3.3 Perform, fails or is failing in the performance of any of its obligations under this Agreement.
 - 7.3.4 Either party shall have the right to terminate this Agreement forthwith at any time by giving written notice to the other upon the happening of any of the following events:
 - 7.3.5 If the other party is in breach of any of the terms or conditions of this Agreement;

- 7.3.6 If the other party enters into liquidation whether compulsory or voluntary (otherwise than for the purpose of amalgamation or reconstruction) or compounds with or enters into a scheme of arrangement for the benefit of its creditors or has a receiver appointed of all or any part of its assets or takes or suffers any similar action in consequence of debt; and/or
- 7.3.7 If the other party shall cease substantially to carry on trade or shall threaten to cease substantially to carry on trade.
- 7.4 Termination of this Agreement pursuant to the provisions of this Clause shall be without prejudice to the accrued rights and liabilities of either party.
- 7.5 On termination of this Agreement the Supplier shall only be entitled to payment of monies (less any monies as SriLankan Airlines is entitled to deduct/set-off under this Agreement) for Goods duly provided in accordance with the terms of this Agreement. The Supplier shall not be entitled to any further costs, remuneration consequential or special damages, loss of profits or revenue claimed to have been suffered by the Supplier (including its agents, employees and representatives) as a result of this Agreement.

8.0 INDEMNITY AND LIBILITY

- 8.1 The Supplier shall indemnify and hold harmless SLC free and clear from and against any and all losses, costs, expenses, claims, damages and liabilities, to SLC, its officers, agents, employees, representatives or any third parties and/or any property, that may arise pursuant to this Agreement, in particular pursuant to (but not limited to) any:
 - 8.1.1 claim in respect of any workers of the Supplier under the Workman's Compensation laws or any other law;
 - 8.1.2 accident, injury or death caused to any person except where such liability arises by negligence or willful misconduct of SLC, its servants, agents employees or representatives;
 - 8.1.3 acts of theft, pilferage of property or other acts committed by the Supplier or its workers which cause financial loss or are likely to bring SLC into disrepute;
 - 8.1.4 defect(s) in the Goods provided under this Agreement;
 - 8.1.5 violation of any laws, regulations or intellectual property rights of any party;
 - 8.1.6 non-conformity of the Goods with any samples provided by the Supplier and approved by SLC;
 - 8.1.7 Lack of merchantable quality and/or fitness for the purposes of Goods envisaged under this Agreement.

- 8.2 Notwithstanding, Clause 8.1 above, SLC may, without prejudice to its right to terminate this Agreement, require the Supplier to pay SLC the total value of any property lost, damaged or pilfered by the Supplier or its workers.
- 8.3 SLC shall indemnify and hold harmless the Supplier free and clear from and against any and all losses, costs, expenses, claims, damages and liabilities that may arise pursuant to the death or injury of a worker of the Supplier or damage to the Supplier (or its workers) property caused by SLC's negligence or willful misconduct.

9.0 LIQUIDATED DAMAGES

Liquidated damages for late delivery of Goods ordered shall be as follows;

- 9.1 One percent (1%) of the amount of monies payable in respect of the relevant goods as per purchase order per day, for the relevant period of delay, after a grace period of One day.
- 9.2 Liquidated damages have stipulated in sub Clauses 9.1 and 9.2 of this clause shall also apply in the case where staggered deliveries are required.
- 9.3 The Supplier shall in the aforementioned instances make good the irregularity, breach and/or lapse as soon as possible to the satisfaction of SLC and shall reimburse SLC any expenses incurred by it in such said instances.

10.0 PAYMENTS

SLC shall pay the Supplier based on the rates and currencies set out in Annexure A. Subject to section 3.0, no increase in price/or rates shall be permitted.

т	arms of	f navmente	under this	\areement will	be
- 1	erris or	n pavilients	unuel uns <i>i</i>	aureenient wiii	DE

11.0 REJECTION OF GOODS

In the event, where the Goods supplied fail to meet the requirements set out in Annexure $\bf A$ and in the opinion of SLC are not keeping with the approved samples or not in keeping with this specification agreed or is in excess of or below the quantity ordered, SLC reserves the right to reject such Goods supplied by notification in writing within 14 days and the supplier shall be required to replace the rejected Goods with the correct requirement immediately without any additional charges or return money in full as recommend by SLC.

Any freight charges/delivery charges incurred in this regard shall be borne by the supplier.

12.0 GOVERNING LAW AND JURISDICTION:

This Agreement shall be governed by the laws of the Democratic Socialist Republic of Sri Lanka and subject to the jurisdiction of the courts of Sri Lanka

13.0 FORCE MAJEURE:

- 13.1 In the event that either party shall be wholly or partly unable to carry out its obligations under this Agreement by reasons or causes beyond its control, including by way of illustration Acts of God or the public enemy, fire, floods, explosions, epidemics, insurrection, riots or other civil commotion, war, Government order or by any other cause (excluding, however, strikes, lockouts or other labour troubles), which it could not be reasonably be expected to foresee or avoid, then the performance of its obligations in so far as they are affected by such cause shall be excused during the continuance of any inability so caused. Such cause(s) shall however as far as possible be remedied by the affected party with all reasonable dispatch.
- 13.2 Notwithstanding the above each party shall give the other as soon as possible notice of the occurrence or imminent occurrence of an event as indicated above and where such notice is given verbally it shall be followed immediately in writing.

14.0 GENERAL

- 14.1 SLC shall after notification in writing to the Supplier, be entitled to assign or transfer the whole or any part of the contract to a subsidiary or associated company or SLC.
- 14.2 The rights and remedies of SLC against the Supplier for the breech of any condition and for obligations undertaken by the Supplier under this agreement shall not be prejudice or deemed to be waived by reason of any indulgence or forbearance of SLC.
- 14.3 Nothing in this Agreement shall prevent SLC from availing itself or any remedies provided under the general law in addition to the remedies stipulated in the Agreement.
- 14.4 This Agreement together with the Annexures/Schedules contains the entire Agreement between the parties and shall not be varied amended or affected by the conditions of sale or delivery etc. of the Supplier.
- 14.5 Each party represents and warrants to the other that the execution and delivery of the Agreement and the performance of such party's obligations hereunder have been duly authorized and that their duly authorized signatories have been authorized to execute and deliver this Agreement.
- 14.6 Any notice or other communication required or authorized by this Agreement to be served or given by either party to the other shall be deemed to have been duly served or given if in writing and left at or sent by prepaid registered post to the last known place of business of that; or sent by telex or telegram to such place of business and confirmed by prepaid registered post, similarly addressed, within 24 hours of the dispatch of such telex or telegram;

	Attn E-mail Tel	: : :	
			have caused their authorized signatories to place the same tenor on the date first referred to above.
For and on behalf of			For and on behalf of
SriLankan Catering	g Limited		
Name: Mr. Mangala	Wijesekara		Name:
Designation: CEO			Designation:
Witness :			Witness:
Date :			Date :

Mrs. Himali Samarasinghe

0197334142 0197334142

himali.samarasinghe@srilankancatering.com

14.6.1 In the case of SLC to -

Attn :
E-mail :
Tele :
Fax :

14.6.2 in the case of Supplier to - Address :

Annexure A

Price Schedule Form

			Required	Price (Deliver to SLC) LKR	_	Duty Free Price				Lead
Item Description	UOM	Brand	Quantity		to SLC)	FOB Price	Freight	Insurance	Other Cost	Time
INVITATION FOR SUBMISSION OF BIDS FOR SUPPLY, INSTALLATION &	Each for Option 01		01							
COMMISIONING OF STATIC GARBAGE COMPACTOR FOR WET GARBAGE	Each for Option 02		01							

Payment Term

ITB Clause 10.1 Advance Payment of 30% on behalf of an unconditional bank guarantee submitted from a registered reputed Commercial Bank in Sri Lanka, balance 60% on delivery. 10% will be made after installation and Commissioning.



VENDOR INFORMATION FORM

SRILANKAN CATERING LIMITED

Section A — Basic Information of the Vend	ior
Registered Name of the Vendor	
2. Registered Address	3. Check Delivery Address
4. Date of Incorporation	5. Business Registration Number
6. Country of Incorporation	
7. Nature of the Business	8. Business Type (Local/ Import) 9. Currency:
10. Telephone and Fax Numbers Telephone: Fax :	11. E-mail Address
12. Other Contact Details (If Any)	
13. Registered Name and the Address of Lo	cal Agent (If Any)

Section B – Bank Details of the Vendor 14. Name of the Bank and the Address	
14. Name of the bank and the Address	
15. Account Number	16. SWIFT Code / SORT Code
17. Payment Terms	
18. Registered for VAT : YES/ NO	
If YES, VAT Registration Number :	

Section C — Details of the Directors, Sh	areholders and Related Parties
19. Name(s) of the Directors	
20 Name(s) of the Chareholders	
20. Name(s) of the Shareholders	

21.	Name(s) of the Directors of parent/subsidiary who are also Directors of SriLankan Catering Limited				
22.	Name(s) of the Directors of parent/subsidiary who are also Employees of SriLankan Catering Limited				
23.	Names of Close Family Members who are either Directors/Employees of SriLankan Catering Limited				
Section	on D – Conflict of Interest				
	I hereby certify that to my knowledge, therender named below:	e is no conflict of inte		g the	
I.	I. No SLC employee or SLC employee's immediate family member has an ownership interest in vendor's company or is deriving personal financial gain from this contract.				
II.	. No retired SLC employee who has been retired or separated from the SLC for less than one (1) year has an ownership interest in vendor's Company.				
III.	No SLC employee is contemporaneously employed or prospectively to be employed with the vendor.				
IV.	IV. Vendor hereby declares it has not and will not provide gifts or hospitality of any monetary value or any other gratuities to any SLC employee to obtain or maintain a contract.				
V. Please note any exceptions below: Name of SLC employees, elected officials, or immediate family members with whom there may be a potential conflict of interest					
I.	Name :				
II.	Relationship to employee:				

Interest in vendor's company:-----

III.

IV.

Section E – Supporting Documents								
25. Please Attach Copies of ,								
I. Business Registration II. Form 20 (Names of the Directors) III. VAT/SVAT Registration/ Details IV. Attach a Copy of Bank Statement/ Bank Book/ Bank Details printed on Company Letterhead. V. Three Years Audit Statement Signed by Approved Accountant								
As authorized representative of								
Details of the Vendor's Authorized Signatory Name: Designation: Date: Signature & Company Rubber Stamp: OFFICE USE ONLY								
SECTION E : VENDOR REGISTRATION DETAIL	_S							
26. System								
INFLAIR	ORACLE							
27. Supplier Selection Criteria								
28. Supplier Code								
29. Estimated Value of the Contact (Based on the Estimated Consumption)								
Approval	Approval							

Manager - Finance

Manager – Procurement and shipping

<Company Letter Head>

<Date>,
Accountant – Payments and Compliances,
SriLankan Catering Limited,
Bandaranaike International Airport,
Katunayake.

Dear Sir,

PROCESSING OF PAYMENTS THROUGH ONLINE/INTERNET BANKING

This is to inform you that **<Supplier Name>** bank details as follows for transfer future payments.

Company Details	Bank Details
Name of the Bank (HNB account holders will get	
payment on the same day)	
Branch Name	
Account Number	
Bank Code (If any)	
Branch code (If any)	
SWIFT Code (If any)	
IBAN (If any)	
Contact Details	
e-mail Address (for payment notification)	
Mobile Number (to send you remittance via SMS	
alternatively) (Not applicable for foreign	
Suppliers)	
Name of the contact person (to be contacted for	
clarifications, if any)	

Your corporation in this regard is highly appreciated.

Thanking you.
Yours faithfully,
<authorized signature=""></authorized>
<designation></designation>